

Washington State HIV/AIDS Surveillance Report - 12/31/2006
Washington State Department of Health

Table 1. HIV¹ and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

Year ⁵	TOTAL CASES (& CASE FATALITY RATE ²) DIAGNOSED DURING INTERVAL ³					DEATHS OCCURRING DURING INTERVAL ⁴		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL ³		
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		HIV ¹		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	0%	1	(100%)	3	0	0	2	0	2
1983	4	(25%)	22	(100%)	26	0	7	3	0	3
1984	8	0%	77	(97%)	85	0	31	8	2	10
1985	62	(11%)	132	(98%)	194	0	81	55	3	58
1986	55	(13%)	247	(98%)	302	0	126	48	5	53
1987	61	(16%)	368	(96%)	429	2	188	51	15	66
1988	77	(16%)	493	(94%)	570	5	236	65	28	93
1989	97	(16%)	611	(92%)	708	7	309	81	49	130
1990	119	(15%)	733	(91%)	852	6	371	101	63	164
1991	133	(13%)	835	(88%)	968	4	461	116	98	214
1992	120	(12%)	897	(79%)	1,017	6	515	106	184	290
1993	100	(9%)	943	(72%)	1,043	12	617	91	266	357
1994	162	(7%)	853	(60%)	1,015	7	676	151	343	494
1995	172	(5%)	754	(43%)	926	5	665	163	427	590
1996	209	(6%)	661	(30%)	870	3	495	197	463	660
1997	218	(5%)	511	(23%)	729	9	226	207	395	602
1998	214	(2%)	385	(25%)	599	5	167	209	288	497
1999	272	(3%)	353	(25%)	625	6	137	264	266	530
2000	325	(4%)	447	(20%)	772	30	165	312	359	671
2001	292	(1%)	390	(17%)	682	20	153	288	324	612
2002	299	(3%)	411	(13%)	710	17	157	291	358	649
2003	311	(1%)	422	(11%)	733	28	184	309	375	684
2004	318	0%	404	(9%)	722	7	154	318	369	687
2005	374	(1%)	411	(7%)	785	13	133	370	384	754
2006	321	0%	305	(2%)	626	7	49	320	299	619
TOTAL	4,325	(5%)	11,666	(54%)	15,991	199	6,303	4,126	5,363	9,489

Table 2. HIV¹ and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

	HIV ¹						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
0-12	19	0%	21	0%	40	(1%)	15	0%	17	0%	32	0%
13-19	63	(1%)	35	(1%)	98	(2%)	35	0%	15	0%	50	0%
20-29	1,155	(27%)	236	(5%)	1,391	(32%)	1,695	(15%)	241	(2%)	1,936	(17%)
30-39	1,491	(34%)	192	(4%)	1,683	(39%)	4,863	(42%)	403	(3%)	5,266	(45%)
40-49	753	(17%)	108	(2%)	861	(20%)	2,871	(25%)	246	(2%)	3,117	(27%)
50-59	181	(4%)	36	(1%)	217	(5%)	869	(7%)	100	(1%)	969	(8%)
60+	32	(1%)	3	0%	35	(1%)	257	(2%)	39	0%	296	(3%)
TOTAL	3,694	(85%)	631	(15%)	4,325	(100%)	10,605	(91%)	1,061	(9%)	11,666	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 12/31/2006
Washington State Department of Health

Tables 3. HIV¹ CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	2,755	(75%)	308	(50%)	11	(27%)	3,074	(71%)
Black, not Hispanic	433	(12%)	196	(32%)	20	(49%)	649	(15%)
Hispanic (All Races)	306	(8%)	57	(9%)	6	(15%)	369	(9%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	83	(2%)	12	(2%)	4	(10%)	99	(2%)
Hawaiian/Pacific Islander	7	0%	2	0%	0	0%	9	0%
Native American/Alaskan	33	(1%)	26	(4%)	0	0%	59	(1%)
Multi-race	20	(1%)	2	0%	0	0%	22	(1%)
Unknown	35	(1%)	3	0%	0	0%	38	(1%)
Total	3,674	(100%)	610	(100%)	41	(100%)	4,325	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	2,718	(74%)	0	0%	0	0%	2,718	(63%)
Injecting Drug Use (IDU)	230	(6%)	144	(24%)	0	0%	374	(9%)
MSM and IDU	348	(9%)	0	0%	0	0%	348	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	8	0%	1	0%	1	(2%)	10	0%
Heterosexual Contact	132	(4%)	309	(51%)	0	0%	441	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(83%)	34	(1%)
No Identified Risk/Other	230	(6%)	146	(24%)	6	(15%)	382	(9%)
Total	3,674	(100%)	610	(100%)	41	(100%)	4,325	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	8,376	(79%)	558	(53%)	15	(47%)	8,949	(77%)
Black, not Hispanic	1,032	(10%)	292	(28%)	10	(31%)	1,334	(11%)
Hispanic (All Races)	774	(7%)	94	(9%)	4	(13%)	872	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	142	(1%)	20	(2%)	0	0%	162	(1%)
Hawaiian/Pacific Islander	22	0%	8	(1%)	0	0%	30	0%
Native American/Alaskan	162	(2%)	53	(5%)	1	(3%)	216	(2%)
Multi-race	42	0%	5	0%	1	(3%)	48	0%
Unknown	9	0%	1	0%	0	0%	10	0%
Total	10,590	(100%)	1,044	(100%)	32	(100%)	11,666	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	7,658	(72%)	0	0%	0	0%	7,658	(66%)
Injecting Drug Use (IDU)	765	(7%)	300	(29%)	0	0%	1,065	(9%)
MSM and IDU	1,167	(11%)	0	0%	0	0%	1,167	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia	84	(1%)	4	0%	4	(13%)	92	(1%)
Heterosexual Contact	314	(3%)	517	(50%)	0	0%	831	(7%)
Mother at Risk for HIV	1	0%	0	0%	28	(88%)	29	0%
No Identified Risk/Other	528	(5%)	170	(16%)	0	0%	698	(6%)
Total	10,590	(100%)	1,044	(100%)	32	(100%)	11,666	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 12/31/2006

Washington State Department of Health

Table 5. HIV¹ AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE ⁸ AT DIAGNOSIS

	CASES DIAGNOSED					DEATHS				PRESUMED LIVING				
	HIV 1		AIDS		HIV/AIDS Total	HIV 1		AIDS		HIV 1		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Region 1	173	(4.0%)	652	(5.6%)	825	13	(6.5%)	353	(5.6%)	160	(3.9%)	299	(5.6%)	459
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	17	(0.1%)	21	1	(0.5%)	6	(0.1%)	3	(0.1%)	11	(0.2%)	14
COLUMBIA CO.	1	0.0%	4	0.0%	5	1	(0.5%)	3	0.0%	0	0.0%	1	0.0%	1
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	1
GARFIELD CO.	1	0.0%	0	0.0%	1	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1
LINCOLN CO.	0	0.0%	4	0.0%	4	0	0.0%	2	0.0%	0	0.0%	2	0.0%	2
OKANOGAN CO.	8	(0.2%)	26	(0.2%)	34	0	0.0%	9	(0.1%)	8	(0.2%)	17	(0.3%)	25
PEND OREILLE CO.	0	0.0%	8	(0.1%)	8	0	0.0%	5	(0.1%)	0	0.0%	3	(0.1%)	3
SPOKANE CO.	145	(3.4%)	494	(4.2%)	639	10	(5.0%)	279	(4.4%)	135	(3.3%)	215	(4.0%)	350
STEVENS CO.	5	(0.1%)	19	(0.2%)	24	0	0.0%	10	(0.2%)	5	(0.1%)	9	(0.2%)	14
WALLA WALLA CO.	7	(0.2%)	53	(0.5%)	60	1	(0.5%)	28	(0.4%)	6	(0.1%)	25	(0.5%)	31
WHITMAN CO.	1	0.0%	15	(0.1%)	16	0	0.0%	4	(0.1%)	1	0.0%	11	(0.2%)	12
Region 2	139	(3.2%)	403	(3.5%)	542	8	(4.0%)	189	(3.0%)	131	(3.2%)	214	(4.0%)	345
BENTON CO.	29	(0.7%)	82	(0.7%)	111	2	(1.0%)	37	(0.6%)	27	(0.7%)	45	(0.8%)	72
CHELAN CO.	18	(0.4%)	40	(0.3%)	58	1	(0.5%)	22	(0.3%)	17	(0.4%)	18	(0.3%)	35
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	2
FRANKLIN CO.	20	(0.5%)	50	(0.4%)	70	1	(0.5%)	16	(0.3%)	19	(0.5%)	34	(0.6%)	53
GRANT CO.	9	(0.2%)	33	(0.3%)	42	1	(0.5%)	19	(0.3%)	8	(0.2%)	14	(0.3%)	22
KITTITAS CO.	5	(0.1%)	20	(0.2%)	25	0	0.0%	10	(0.2%)	5	(0.1%)	10	(0.2%)	15
Klickitat CO.	6	(0.1%)	9	(0.1%)	15	0	0.0%	6	(0.1%)	6	(0.1%)	3	(0.1%)	9
YAKIMA CO.	50	(1.2%)	167	(1.4%)	217	3	(1.5%)	77	(1.2%)	47	(1.1%)	90	(1.7%)	137
Region 3	337	(7.8%)	958	(8.2%)	1,295	22	(11.1%)	475	(7.5%)	315	(7.6%)	483	(9.0%)	798
ISLAND CO.	15	(0.3%)	59	(0.5%)	74	1	(0.5%)	33	(0.5%)	14	(0.3%)	26	(0.5%)	40
SAN JUAN CO.	7	(0.2%)	18	(0.2%)	25	1	(0.5%)	10	(0.2%)	6	(0.1%)	8	(0.1%)	14
SKAGIT CO.	24	(0.6%)	64	(0.5%)	88	3	(1.5%)	34	(0.5%)	21	(0.5%)	30	(0.6%)	51
SNOHOMISH CO.	236	(5.5%)	661	(5.7%)	897	14	(7.0%)	319	(5.1%)	222	(5.4%)	342	(6.4%)	564
WHATCOM CO.	55	(1.3%)	156	(1.3%)	211	3	(1.5%)	79	(1.3%)	52	(1.3%)	77	(1.4%)	129
Region 4 (King Co.)	2,820	(65.2%)	7,453	(63.9%)	10,273	115	(57.8%)	4,127	(65.5%)	2,705	(65.6%)	3,326	(62.0%)	6,031
KING CO.	2,820	(65.2%)	7,453	(63.9%)	10,273	115	(57.8%)	4,127	(65.5%)	2,705	(65.6%)	3,326	(62.0%)	6,031
Region 5	493	(11.4%)	1,226	(10.5%)	1,719	29	(14.6%)	677	(10.7%)	464	(11.2%)	549	(10.2%)	1,013
KITSAP CO.	75	(1.7%)	214	(1.8%)	289	1	(0.5%)	116	(1.8%)	74	(1.8%)	98	(1.8%)	172
PIERCE CO.	418	(9.7%)	1,012	(8.7%)	1,430	28	(14.1%)	561	(8.9%)	390	(9.5%)	451	(8.4%)	841
Region 6	363	(8.4%)	974	(8.3%)	1,337	12	(6.0%)	482	(7.6%)	351	(8.5%)	492	(9.2%)	843
CLALLAM CO.	20	(0.5%)	56	(0.5%)	76	2	(1.0%)	31	(0.5%)	18	(0.4%)	25	(0.5%)	43
CLARK CO.	170	(3.9%)	422	(3.6%)	592	2	(1.0%)	213	(3.4%)	168	(4.1%)	209	(3.9%)	377
COWLITZ CO.	41	(0.9%)	90	(0.8%)	131	1	(0.5%)	51	(0.8%)	40	(1.0%)	39	(0.7%)	79
GRAYS HARBOR CO.	16	(0.4%)	59	(0.5%)	75	1	(0.5%)	32	(0.5%)	15	(0.4%)	27	(0.5%)	42
JEFFERSON CO.	11	(0.3%)	23	(0.2%)	34	2	(1.0%)	15	(0.2%)	9	(0.2%)	8	(0.1%)	17
LEWIS CO.	10	(0.2%)	42	(0.4%)	52	1	(0.5%)	25	(0.4%)	9	(0.2%)	17	(0.3%)	26
MASON CO.	21	(0.5%)	78	(0.7%)	99	0	0.0%	23	(0.4%)	21	(0.5%)	55	(1.0%)	76
PACIFIC CO.	10	(0.2%)	18	(0.2%)	28	1	(0.5%)	10	(0.2%)	9	(0.2%)	8	(0.1%)	17
SKAMANIA CO.	0	0.0%	7	(0.1%)	7	0	0.0%	5	(0.1%)	0	0.0%	2	0.0%	2
THURSTON CO.	63	(1.5%)	177	(1.5%)	240	2	(1.0%)	77	(1.2%)	61	(1.5%)	100	(1.9%)	161
WAHKIAKUM CO.	1	0.0%	2	0.0%	3	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3
STATE TOTAL	4,325	(100.0%)	11,666	(100.0%)	15,991	199	(100.0%)	6,303	(100.0%)	4,126	(100.0%)	5,363	(100.0%)	9,489

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 12/31/2006

Washington State Department of Health

Table 6. HIV¹ CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	316	(86%)	943	(76%)	1,815	(67%)	3,074	(71%)	189	(63%)	207	(67%)	199	(63%)	242	(65%)	213	(66%)
Black, not Hispanic	33	(9%)	148	(12%)	468	(17%)	649	(15%)	65	(22%)	59	(19%)	59	(19%)	65	(17%)	51	(16%)
Hispanic (All Races)	9	(2%)	87	(7%)	273	(10%)	369	(9%)	25	(8%)	29	(9%)	34	(11%)	44	(12%)	33	(10%)
Asian/Pacific Islander	0	0%	1	0%	5	0%	6	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian	2	(1%)	23	(2%)	74	(3%)	99	(2%)	7	(2%)	9	(3%)	10	(3%)	10	(3%)	7	(2%)
Hawaiian/Pacific Islander	1	0%	1	0%	7	0%	9	0%	0	0%	2	(1%)	0	0%	2	(1%)	2	(1%)
Native American/Alaskan	4	(1%)	16	(1%)	39	(1%)	59	(1%)	6	(2%)	4	(1%)	8	(3%)	3	(1%)	4	(1%)
Multi-race	0	0%	4	0%	18	(1%)	22	(1%)	4	(1%)	1	0%	5	(2%)	3	(1%)	4	(1%)
Unknown	1	0%	10	(1%)	27	(1%)	38	(1%)	3	(1%)	0	0%	3	(1%)	5	(1%)	7	(2%)
Total	366	(100%)	1,233	(100%)	2,726	(100%)	4,325	(100%)	299	(100%)	311	(100%)	318	(100%)	374	(100%)	321	(100%)
<u>Gender</u>																		
Male	337	(92%)	1,035	(84%)	2,322	(85%)	3,694	(85%)	256	(86%)	265	(85%)	271	(85%)	318	(85%)	272	(85%)
Female	29	(8%)	198	(16%)	404	(15%)	631	(15%)	43	(14%)	46	(15%)	47	(15%)	56	(15%)	49	(15%)
Total	366	(100%)	1,233	(100%)	2,726	(100%)	4,325	(100%)	299	(100%)	311	(100%)	318	(100%)	374	(100%)	321	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	256	(70%)	758	(61%)	1,704	(63%)	2,718	(63%)	193	(65%)	196	(63%)	192	(60%)	216	(58%)	203	(63%)
Injecting Drug Use (IDU)	33	(9%)	125	(10%)	216	(8%)	374	(9%)	26	(9%)	22	(7%)	25	(8%)	21	(6%)	24	(7%)
MSM and IDU	43	(12%)	99	(8%)	206	(8%)	348	(8%)	23	(8%)	22	(7%)	26	(8%)	39	(10%)	19	(6%)
Transfusion/Transplant	3	(1%)	6	0%	9	0%	18	0%	1	0%	0	0%	2	(1%)	3	(1%)	0	0%
Hemophilia	6	(2%)	3	0%	1	0%	10	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact	12	(3%)	128	(10%)	301	(11%)	441	(10%)	37	(12%)	36	(12%)	36	(11%)	37	(10%)	33	(10%)
Mother at Risk for HIV	3	(1%)	22	(2%)	9	0%	34	(1%)	0	0%	1	0%	1	0%	0	0%	1	0%
No Identified Risk/Other	10	(3%)	92	(7%)	280	(10%)	382	(9%)	19	(6%)	34	(11%)	36	(11%)	58	(16%)	41	(13%)
Total	366	(100%)	1,233	(100%)	2,726	(100%)	4,325	(100%)	299	(100%)	311	(100%)	318	(100%)	374	(100%)	321	(100%)
<u>AIDSNET Region</u>																		
Region 1	19	(5%)	49	(4%)	105	(4%)	173	(4%)	13	(4%)	14	(5%)	17	(5%)	11	(3%)	10	(3%)
Region 2	9	(2%)	38	(3%)	92	(3%)	139	(3%)	12	(4%)	7	(2%)	7	(2%)	18	(5%)	9	(3%)
Region 3	28	(8%)	113	(9%)	196	(7%)	337	(8%)	14	(5%)	23	(7%)	22	(7%)	32	(9%)	28	(9%)
Region 4 (King Co.)	249	(68%)	771	(63%)	1,800	(66%)	2,820	(65%)	200	(67%)	200	(64%)	220	(69%)	228	(61%)	199	(62%)
Region 5	33	(9%)	159	(13%)	301	(11%)	493	(11%)	36	(12%)	40	(13%)	22	(7%)	46	(12%)	43	(13%)
Region 6	28	(8%)	103	(8%)	232	(9%)	363	(8%)	24	(8%)	27	(9%)	30	(9%)	39	(10%)	32	(10%)
Total	366	(100%)	1,233	(100%)	2,726	(100%)	4,325	(100%)	299	(100%)	311	(100%)	318	(100%)	374	(100%)	321	(100%)

Notes:
1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 12/31/2006

Washington State Department of Health

Table 7. AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	1,709	(88%)	4,917	(79%)	2,323	(66%)	8,949	(77%)	267	(65%)	273	(65%)	269	(67%)	259	(63%)	189	(62%)
Black, not Hispanic	129	(7%)	606	(10%)	599	(17%)	1,334	(11%)	73	(18%)	68	(16%)	65	(16%)	75	(18%)	56	(18%)
Hispanic (All Races)	76	(4%)	417	(7%)	379	(11%)	872	(7%)	43	(10%)	53	(13%)	42	(10%)	42	(10%)	29	(10%)
Asian/Pacific Islander	3	0%	31	(1%)	11	0%	45	0%	3	(1%)	1	0%	0	0%	1	0%	0	0%
Asian	11	(1%)	68	(1%)	83	(2%)	162	(1%)	12	(3%)	9	(2%)	9	(2%)	18	(4%)	17	(6%)
Hawaiian/Pacific Islander	5	0%	9	0%	16	0%	30	0%	2	0%	5	(1%)	2	0%	1	0%	2	(1%)
Native American/Alaskan	16	(1%)	117	(2%)	83	(2%)	216	(2%)	10	(2%)	10	(2%)	11	(3%)	10	(2%)	5	(2%)
Multi-race	2	0%	20	0%	26	(1%)	48	0%	1	0%	3	(1%)	5	(1%)	5	(1%)	7	(2%)
Unknown	0	0%	2	0%	8	0%	10	0%	0	0%	0	0%	1	0%	0	0%	0	0%
Total	1,951	(100%)	6,187	(100%)	3,528	(100%)	11,666	(100%)	411	(100%)	422	(100%)	404	(100%)	411	(100%)	305	(100%)
<u>Gender</u>																		
Male	1,889	(97%)	5,694	(92%)	3,022	(86%)	10,605	(91%)	342	(83%)	356	(84%)	336	(83%)	357	(87%)	259	(85%)
Female	62	(3%)	493	(8%)	506	(14%)	1,061	(9%)	69	(17%)	66	(16%)	68	(17%)	54	(13%)	46	(15%)
Total	1,951	(100%)	6,187	(100%)	3,528	(100%)	11,666	(100%)	411	(100%)	422	(100%)	404	(100%)	411	(100%)	305	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	1,499	(77%)	4,225	(68%)	1,934	(55%)	7,658	(66%)	218	(53%)	238	(56%)	213	(53%)	220	(54%)	144	(47%)
Injecting Drug Use (IDU)	82	(4%)	575	(9%)	408	(12%)	1,065	(9%)	47	(11%)	45	(11%)	44	(11%)	46	(11%)	30	(10%)
MSM and IDU	234	(12%)	612	(10%)	321	(9%)	1,167	(10%)	38	(9%)	36	(9%)	33	(8%)	40	(10%)	39	(13%)
Transfusion/Transplant	47	(2%)	64	(1%)	15	0%	126	(1%)	1	0%	1	0%	3	(1%)	2	0%	1	0%
Hemophilia	30	(2%)	52	(1%)	10	0%	92	(1%)	0	0%	1	0%	1	0%	1	0%	1	0%
Heterosexual Contact	29	(1%)	372	(6%)	430	(12%)	831	(7%)	69	(17%)	54	(13%)	55	(14%)	54	(13%)	30	(10%)
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	22	(1%)	269	(4%)	407	(12%)	698	(6%)	38	(9%)	47	(11%)	55	(14%)	47	(11%)	60	(20%)
Total	1,951	(100%)	6,187	(100%)	3,528	(100%)	11,666	(100%)	411	(100%)	422	(100%)	404	(100%)	411	(100%)	305	(100%)
<u>AIDSNET Region</u>																		
Region 1	79	(4%)	343	(6%)	230	(7%)	652	(6%)	26	(6%)	27	(6%)	30	(7%)	30	(7%)	17	(6%)
Region 2	48	(2%)	191	(3%)	164	(5%)	403	(3%)	15	(4%)	20	(5%)	23	(6%)	20	(5%)	19	(6%)
Region 3	111	(6%)	514	(8%)	333	(9%)	958	(8%)	41	(10%)	36	(9%)	41	(10%)	57	(14%)	32	(10%)
Region 4 (King Co.)	1,434	(74%)	3,964	(64%)	2,055	(58%)	7,453	(64%)	243	(59%)	274	(65%)	223	(55%)	216	(53%)	178	(58%)
Region 5	171	(9%)	644	(10%)	411	(12%)	1,226	(11%)	37	(9%)	38	(9%)	45	(11%)	43	(10%)	28	(9%)
Region 6	108	(6%)	531	(9%)	335	(9%)	974	(8%)	49	(12%)	27	(6%)	42	(10%)	45	(11%)	31	(10%)
Total	1,951	(100%)	6,187	(100%)	3,528	(100%)	11,666	(100%)	411	(100%)	422	(100%)	404	(100%)	411	(100%)	305	(100%)

Notes:

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health
IDRH Assessment Unit
P.O. Box 47838 -- Olympia, WA 98504-7838
(360) 236-3455